


4 - Buckets

Low profile bucket

For handling earth, sand, gravel, and other high density products. Low back and long base enables operator to see ground just in front of cutting edge.



NUMBER

87014892


DESCRIPTION

Capacity :Str.0,38m³ / Hpd. 0,48m³

A:540mm B:807mm C:1830mm / 220Kgs

Low profile bucket with teeth

Similar to the low profile bucket but with teeth added to give excellent digging and breakout characteristics.



NUMBER

87014895

DESCRIPTION


Capacity :Str.0,38m³ / Hpd. 0,48m³ / 9 teeth

A:540mm B:893mm C:1830mm / 249Kgs

4 - Buckets

Standard Bucket

For handling earth, sand, gravel, and other high density products.



NUMBER

87014953


DESCRIPTION

Standard Bucket

C:1850mm

Low profile extended bucket

For handling earth, sand, gravel, and other high density products. Low back and long base enables operator to see ground just in front of cutting edge.



NUMBER

87014898

DESCRIPTION


Capacity :Str.0,44m³ / Hpd. 0,57m³

A:540mm B:934mm C:1830mm / 225Kgs

4 - Buckets

Utility bucket

General purpose bucket often used in the plant hire industry. This bucket can also be used for general handling purposes.



NUMBER

86590498


DESCRIPTION

Capacity :Str.0,68m³ / Hpd. 0,85m³

A:715mm B:872mm C:1830mm / 318Kgs

Slurry bucket

For handling slurry. High back and acute back angle gives excellent roll backenabling semi liquid loads to be transported with minimal spillage



NUMBER

87014633

DESCRIPTION


Capacity :Str.0,54m³ / Hpd. 0,65m³

A:594mm B:949mm C:1830mm / 225Kgs

4 - Buckets

Heavy duty dirt bucket

Heavy duty buckets for most arduous conditions in construction, demolition, foundries, quarries and heavy industry.



NUMBER

86590494

DESCRIPTION

Capacity :Str.0,43m³ / Hpd. 0,53m³

A:559mm B:778mm C:1830mm / 262Kgs

Ship trimming bucket

Suitable for trimming of ships holds. Large capacity for grain, powder, etc.



NUMBER

87014661

DESCRIPTION


Capacity :Str.0,64m³ / Hpd. 0,79m³

A:687mm B:944mm C:1850mm / 300Kgs

4 - Buckets

Light material bucket

Suitable for all low density products such as domestic refuse, snow clearing, sawdust, powders and cereals.



NUMBER

86590500
86590501


DESCRIPTION

Capacity :Str.0,64m³ / Hpd. 0,77m³
Capacity :Str.0,92m³ / Hpd. 1,12m³

A:631mm B:915mm C:1830mm / 332Kgs
A:739mm B:1118mm C:1980mm / 342Kgs

Fertilizer / grain bucket

Suitable for handling of free flowing products. These buckets feature a longer base section and spill guard to reduce spillage



NUMBER

87014125
87014126

DESCRIPTION

Capacity :Str.0,59m³ / Hpd. 0,73m³
Capacity :Str.0,65m³ / Hpd. 0,80m³

A:599mm B:958mm C:1830mm / 222Kgs
A:599mm B:958mm C:2000mm / 332Kgs

4 - Buckets

Poultry litter bucket

Designed specifically for the cleaning of poultry sheds where the product for removal is very light (feathers and swadust).



NUMBER

87014630

87014629

DESCRIPTION

Capacity :Str.0,92m³ / Hpd. 1,09m³


Capacity :Str.0,84m³ / Hpd. 0,99m³

A:802mm B:1004mm C:2000mm / 222Kgs

A:802mm B:1004mm C:1830mm / 342Kgs

Root crop bucket

For handling potatoes, beets, carrots etc..The lattice framework enables soil and stones to pass through.



NUMBER

87014137

87014138

DESCRIPTION

Capacity :Str.0,55m³ / Hpd. 0,70m³

Capacity :Str.0,59m³ / Hpd. 0,75m³

A:685mm B:1008mm C:1825mm / 266Kgs

A:685mm B:1008mm C:1980mm / 340Kgs

4 - Buckets

Dutch stone bucket

Popular bucket used in holland and belgium for digging and earthmoving applications. Can also be used for grading work.



NUMBER

87014665


DESCRIPTION

Capacity :Str.0,30m³ / Hpd. 0,44m³

A:625mm B:958mm C:1850mm / 276Kgs

Calibrated bucket

Supplied with a trading standards department certificate and stamped seal on each bucket. Ideal for builders merchants measuring aggregates.



NUMBER

87014703

DESCRIPTION


Capacity :Str.0,20m³ / Hpd. N/A

A:497mm B:832mm C:1180mm / 117Kgs

4 - Buckets

Industrial grapple

The industrial grapple or grapple bucket, is a heavy duty twin cylinder attachment suitable for foundry, Scrap metals, waste paper and all recycling applications. Designed to work continuous shifts in the most arduous conditions. The 1825 industrial grapple is a single cylinder attachment. Requires Standard Auxiliary Hydraulics



NUMBER

86590504


DESCRIPTION

Capacity : Closed: 0,62m³ / 1/2 opened: 0,77m³

A:765mm B:986mm C:1830mm / 350Kgs

4 in 1 multipurpose bucket

A multipurpose bucket that can be used for various applications as a conventional bucket, a grab for back filling or as a dozer. Requires Standard Auxiliary Hydraulics



NUMBER

86590507

DESCRIPTION


Capacity :Str.0,36m³ / Hpd. 0,44m³

A:722mm B:734mm C:1850mm / 340Kgs

4 - Buckets

4 in 1 multipurpose bucket with teeth

A multipurpose bucket that can be used for various applications Applications : as a conventional bucket, a grab or for back filling, but with teeth for ease of digging. Requires Standard Auxiliary Hydraulics



NUMBER

87014910


DESCRIPTION

Capacity :Str.0,36m³ / Hpd. 0,44m³ / 9 teeth

A:724mm B:868mm C:1850mm / 367Kgs

High tip bucket

Increases the dump height of your machine by 800mm to 1,2m. Requires Standard Auxiliary Hydraulics



NUMBER

86609549

DESCRIPTION


Capacity :Str.0,39m³ / Hpd. 0,49m³

A:606mm B:909mm C:1850mm / 352Kgs

4 - Buckets

Side tip bucket

Allows the bucket to tip to the side of the machine in order to fill trenches, feed troughs etc. Low position dump near the ground. Requires Standard Auxiliary Hydraulics



NUMBER

86610871

86609552

DESCRIPTION

Capacity :Str.0,44m³ / Hpd. 0,55m³ : Tip to right

Capacity :Str.0,44m³ / Hpd. 0,55m³ : Tip to left


A:748mm B:1048mm C:1850mm / 250Kgs

A:748mm B:1048mm C:1850mm / 250Kgs

28 - Pallet Forks / Forks

Farm fork

For general farm yard applicacions



NUMBER


87014513

DESCRIPTION

A:593mm B:893mm C:1850mm / Weight:185Kgs / No of tines: 9

Farm fork and grapples

Suitable for many farm based activities, including "mucking out".Bale handling and silage handling. it is also suitable for some industrial applications. Requires Standard Auxiliary Hydraulics



NUMBER

86590516

DESCRIPTION


Capacity : Closed: 0,66m³ / 1/2 opened: 1,01m³

A:776mm B:903mm C:1850mm / 310Kgs

28 - Pallet Forks / Forks

Pallet forks

Suitable for handling palletized loads. Forks can be moved manually sideways. Requires Standard Auxiliary Hydraulics



NUMBER

DESCRIPTION

86590518

Pallet forks

A:904mm B:1096mm C:1216mm / 126Kgs

86590519

Pallet forks

A:904mm B:1248mm C:1216mm / 144Kgs


86590520

Pallet forks

A:904mm B:1401mm C:1216mm / 194Kgs

Pallet forks with side shift

Suitable for handling palletized loads. Side shift hydraulic. Requires Standard Auxiliary Hydraulics



NUMBER

DESCRIPTION

87014129

Pallet forks with side shift

A:900mm B:1300mm C:1220mm / 308Kgs

87014130

Pallet forks with side shift

A:900mm B:1450mm C:1220mm / 312Kgs

87014131


Pallet forks with side shift

A:900mm B:1760mm C:1220mm / 320Kgs

29 - Special Attachments

Snow plough / dozer blade (manual)

Snow clearing & general dozing applications



NUMBER


87014132

DESCRIPTION

Snow plough / dozer blade (manual)

A:627mm B:812mm C:1980mm / 285Kgs

Snow plough / dozer blade (hydraulic)



NUMBER

87014133

DESCRIPTION

Snow plough / dozer blade (hydraulic)

A:627mm B:812mm C:1980mm / 305Kgs

87014134


Snow plough / dozer blade (hydraulic)

A:627mm B:812mm C:2135mm / 325Kgs

29 - Special Attachments

Broom bucket

Suitable for clearing yards, roads, footpaths etc. Also efficient for snow clearance. Designed to be worked long and hard in all environments The rotary brush sweeps the product into the bucket. To discharge, simply tip the bucket and reverse the action of the brush. Requires Standard Auxiliary Hydraulics. Speed rotation 200g/min at 60lpm



NUMBER

86590510


DESCRIPTION

Capacity :Str.0,33m3 / Hpd. 0,43m3

A:636mm B:1321mm C:1850mm / 420Kgs

Bale Spike

For handling round bales



NUMBER

86590517


DESCRIPTION

A:610mm B:980mm C:1220mm / Weight:55Kgs / No of tines:
2

29 - Special Attachments

Yard Scraper / Slurry Scraper

For cleaning slurry from farm yards.



NUMBER

86610101

DESCRIPTION

Yard Scraper / Slurry Scraper

A:600mm B:1092mm C:1750mm / 145Kgs

30 - Powered Attachments

Cement mixer

Allows easy loading of aggregates, mix to the required specific weight. Discharge by tilting or trough tubing in framings (with a quick connection system). Hydraulic drive, discharge tramp operated by electrovalve. Hitched to the apron, fitted with hydraulic and 12 electrical connections. Supplied with a frontal protection grill.



NUMBER

DESCRIPTION

87014088

Cement mixer

200L / 1250mm / 280Kgs

87014089

Cement mixer

300L / 1500mm / 300Kgs

Cold planers

Planer with standard drum with teeth, mechanical depth and tilt adjustment, hydraulic side shift with hoses and quick couplings.



NUMBER

DESCRIPTION

87014093

450mm

450mm / 0 - 150mm / 650mm / 750Kgs

30 - Powered Attachments

Rock wheel

Allows easy loading of aggregates, mix to the required specific weight. Discharge by tilting or trough tubing in framings (with a quick connection system). Hydraulic drive, discharge tramp operated by electrovalve. Hitched to the apron, fitted with hydraulic and 12 electrical connections. Supplied with a frontal protection grill. Requires high flow circuit.



NUMBER

DESCRIPTION

87014096

80mm

80mm / 300mm / 650mm / 65 - 140L/min /
300 - 140 bar / 700Kgs

87014097

130mm

130mm / 600mm / 650mm / 80 - 170L/min
/ 300 - 140 bar / 1100 Kgs